# Dr. LAURENCE S. L. SHEK

M.B., B.S. (H.K.) M.R.C.P. (U.K.) F.R.C.P. (Edinburgh) F.H.K.A.M. (Médicine) F.H.K.C.P. Specialist in Internal Medicine

# 石 兆 林 醫 生 內科專科醫生

香港大學內外全科醫學士·英國皇家內科醫學院院士 英國愛丁堡皇家內科醫學院榮授院士 香港醫學專科學院院士(內科)·香港內科醫學院院士

Room 613 Melbourne Plaza, 33 Queen's Road Central, Hong Kong SAR 香港特別行政區香港中環皇后大道中 33 號萬邦行 613 室 Telephone (852) 2522 8229 Facsimile (852) 2537 1502 (852) 2521 8266

29 August, 2003.

Mr Albert Chai General Manager Vicgonic (International) Ltd HONG KONG

Dear Mr Chai.

I was asked to review these 12 subject patients between 4 August 2003 and 18 August 2003 to assess objectively and independently their respective Liver and Kidney functions, clinically and biochemically and to conclude therefrom, if there were any adverse effect(s) caused by VI-28 Anti-ageing Treatment on these organs.

Details of the 12 subjects are as follow:

1. MA Hiu Ming (A152) M/63 (DOB 23.7.1940)

Non-smoker, non-drinker

Hypertension for 10 years, taking Dilatrend 25 mg daily

Cholecystectomy for gallstone 2000.

Urinalysis normal. Kidney function tests normal. Liver function tests normal.

2. KONG Nam (A130) M/56 (DOB 23.11.1946)

Smokes 40 cigarettes/day for 30 years; drinks beer socially

Repair of inguinal hernia

Urinalysis: pus cells 6-10 Kidney function normal; Liver function tests showed marginal rise of Alkaline phosphatase of 101 and ALT of 70(N<58)

3 NG Chi Keung (A112) M/52 (DOB 25.12.1950)

Smokes 40 cigarettes/day till 4 years ago, now 6/day. Drinks alcohol socially Urinalysis protein(+) sugar(+) pus cell 50-60/hpf

Kidney function tests normal. Liver function tests showed raised Alkaline phosphatase of 110 and GGTP of 188

4 TO Kwok Lai (A110) M/52(DOB 8 .12.1950)

Non-smoker; non-drinker

Hypertension not on treatment

Urinalysis normal. Kidney function normal. Liver function showed a raised ALT of 60(N<58)

5. PANG Yook Man (A120) M/64 (DOB 23.2.1939)

Smokes 40 cigarettes/day for 40 years Drinks beer/red wine/brandy daily Urinalysis normal; Kidney function and Liver function tests were normal

### 6. HAU Kam Kwong (A141) M/63 (DOB 1940)

Non-smoker; social drinker

Urine glucose(+++) no protein or RBC Kidney function and Liver function tests normal.

#### 7 CHU Ka Khing(A113) M/52 (DOB 17.2 1951)

Non-smoker; Non-drinker Hypertensive BP150/100

Urinalysis normal. Kidney function and Liver function tests normal

#### 8. CHU Ka Chun (A128) M/51 (DOB 15.8.1952)

Non-smoker; Social drinker Hypertensive BP 150/96

Urinalsysis normal; Kidney function and Liver function tests normal

#### 9. WONG Wai Fun (A138) M/63 (DOB 1940)

Smokes 30 cigarettes/day till 10 years ago when found diabetic

Non-drinker

Chronic Hepatitis B

Hypertension since 2001

Bilateral cataract

Urine glucose (+++) protein(-) and RBC(-) Kidney function tests normal.

Liver function tests: raised Alkaline phosphatase of 105

# 10. HO Wing Keung (A142) M/50 (DOB 11.2.1953)

Non-smoker; Non-drinker

Hypertension for 3 years on treatment

Urine normal Kidney function normal. Liver function: Raised ALT of 61(N<58)

# 11. CHIU Chi San (A161) M/53 (DOB 17 10.1949)

Smokes 60 cigarettes/day; Non-drinker

Diabetes for 2 years. High blood cholesterol

Urine glucose(++)protein(-)RBC(-) Kidney and Liver functions normal.

# 12. YUNG Ka Lai (A130) M/51 (DOB 25.10.1952)

Non-smoker; non-drinker

Urinalysis normal. Kidney and Liver function tests normal

The laboratory tests showed that at 11-13 months, the above-captioned subjects' liver and kidney function tests results compared favourably with those obtained at 0,1,3 and 4 months.

Having reviewed these 12 subjects clinically and interpreted the laboratory tests results in the light of their clinical situation, aided by the previous tests results made available to me, I conclude that your treatment has NOT caused any adverse effects on their LIVER and/or KIDNEY functions.

The findings in Subject A138 are particularly worth mentioning. He suffers from Diabetes mellitus, Hypertension, Chronic Hepatitis B and Cataract. His ALT was 161 at 0 month, 165 at 3 months and 43 at 11-13 month which suggests that this drug is effective in combating chronic hepatitis.



Subjects A141 and A161 are both diabetic. They both had raised ALT at 0 month and they are now both normal. This seems to suggest that your treatment is beneficial in diabetic patients with liver dysfunction.

Thank you for your kind attention and the opportunity to participate in this study

Yours faithfully,

Laurence S L-Shek

MB BS(HK) MRCP(UK) FRCP(Edin) FHKAM(Medicine) FHKCP

Specialist in Internal Medicine

石 兆 林 醫 生 (內科軍利爾生)
Dr. SHEK SIU LAM LAURENCE
MBB9 (HK) MRCP (U.K.)
FRCP (EDINBURGH)
FHKAM (Medicine) FHKCP
Specialist in Internal Medicine